

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: **Rain**
Product#:
SKU#: **rai**

Page 1 of 8

Print Date: 2019-09-30 15:26

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Rain

Product/Sales No:

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

KC's Burning Aromas, LLC
3120 W. Carefree Hwy Suite B-7
Phoenix, Az 85086
480-318-1025

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: **Rain**
Product#:
SKU#: **rai**

Page 2 of 8

Print Date: 2019-09-30 15:26

Signal Word: Warning

Hazard statements

H303 May be harmful if swallowed
H313 May be harmful in contact with skin
H316 Causes mild skin irritation
H317 May cause an allergic skin reaction
H319 Causes serious eye irritation
H333 May be harmful if inhaled
H400 Very Toxic to aquatic life
H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264 Wash hands thoroughly after handling
P272 Contaminated work clothing should not be allowed out of the workplace
P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313 If eye irritation persists: Get medical advice/attention
P363 Wash contaminated clothing before reuse
P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	20 - 30 %	H302; H313; H400; H411
8050-15-5 <i>Methyl ester of rosin (partially hydrogenated)</i>	232-476-2	20 - 30 %	H402; H412
84-66-2 <i>Diethyl phthalate</i>	201-550-6	10 - 20 %	H316; H402

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: **Rain**
Product#:
SKU#: **rai**

Page 3 of 8

Print Date: 2019-09-30 15:26

CAS# Ingredient	EC#	Conc. Range	GHS Classification
1222-05-5 <i>Hexamethylindanopyran</i>	214-946-9	10 - 20 %	H316; H400; H410
118-58-1 <i>Benzyl Salicylate</i>	204-262-9	5 - 10 %	H303; H317; H320; H401; H412
105-95-3 <i>Ethylene brassylate</i>	203-347-8	5 - 10 %	H401
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
60-12-8 <i>phenethyl alcohol</i>	200-456-2	2 - 5 %	H302; H313; H316; H319
31906-04-4 <i>Hydroxyisohexyl 3-cyclohexene carboxaldehyde</i>	250-863-4	2 - 5 %	H317; H402
106-24-1 <i>Geraniol</i>	203-377-1	1 - 2 %	H303; H315; H317; H318; H402
122-40-7 <i>Amyl Cinnamal</i>	204-541-5	1 - 2 %	H303; H316; H317; H401; H411
80-54-6 <i>Butylphenyl Methylpropional</i>	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401; H412
105-87-3 <i>Geranyl Acetate</i>	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: **Rain**
Product#:
SKU#: **rai**

Page 4 of 8

Print Date: 2019-09-30 15:26

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam
Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

84-66-2 *Diethyl phthalate*

ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm

5

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: **Rain**
Product#:
SKU#: **rai**

Page 5 of 8

Print Date: 2019-09-30 15:26

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Pale Yellow (G2)

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined

Flashpoint (CCCFP): >200 F (93.33 C)

Auto flammability: Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0017

%VOC: 0.00

Specific Gravity @ 25 C: 1.0530

Density @ 25 C: 1.0500

Refractive Index @ 20 C: 1.5270

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known

10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

(LD50: 3125.0000) May be harmful if swallowed

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: **Rain**
Product#:
SKU#: **rai**

Page 6 of 8

Print Date: 2019-09-30 15:26

Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4444.4444) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 29.4802) May be harmful if inhaled
Skin corrosion / irritation	May be harmful if inhaled
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Very Toxic to aquatic life
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :
120-51-4 : (20 - 30 %) : Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail)				

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: **Rain**
Product#:
SKU#: **rai**

Page 7 of 8

Print Date: 2019-09-30 15:26

Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IMDG (Sea)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:
84-66-2 201-550-6 10 - 20 % Diethyl phthalate

U.S. State Regulations

California Proposition 65 Warning No Warning required

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H302 : Harmful if swallowed
H315 : Causes skin irritation	H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage	H320 : Causes eye irritation
H361 : Suspected of damaging fertility or the unborn child	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	

Total Fractional Values

(TFV) Risk	(TFV) Risk
(169.61) Acute Toxicity Inhalation, Category 5	(60.66) Aquatic Chronic Toxicity, Category 3
(33.00) Sensitization, Skin, Category 1A	(8.10) Sensitization, Skin, Category 1B
(5.95) Aquatic Chronic Toxicity, Category 2	(4.25) Skin Corrosion/Irritation, Category 3
(2.66) Aquatic Chronic Toxicity, Category 4	(2.10) Sensitization, Skin, Category 1
(1.87) Eye Damage/Eye Irritation, Category 2A	(1.60) Acute Toxicity Oral, Category 5
(1.46) Aquatic Acute Toxicity, Category 1	(1.13) Acute Toxicity Dermal, Category 5

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2019-01-10 00:00

Product: **Rain**

Product#:

SKU#: **rai**

Page 8 of 8

Print Date: 2019-09-30 15:26

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment KC's Burning Aromas, LLC holds no responsibility. This document is not intended for quality assurance purposes.