

Safety Data Sheet

Revised Date: 2021-01-29 00:00

Product: **Crackling Firewood & Fir**

Product#:

Page 1 of 8

Print Date: 2021-06-22 16:19

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crackling Firewood & Fir

Product/Sales No:

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

KC's Burning Aromas, LLC
 3120 W. Carefree Hwy, Suite B-7
 Phoenix, Az 85086
 480-318-1025

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 2	H401 : Toxic to aquatic life
Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms

Signal Word: Warning Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H315	Causes skin irritation

Safety Data Sheet

Revised Date: 2021-01-29 00:00

Product: **Crackling Firewood & Fir**

Product#:

Page 2 of 8

Print Date: 2021-06-22 16:19

H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO ₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc. Range	GHS Classification
100-79-8	202-888-7	10 - 20 %	H315; H401
<i>Isopropylidenglycerol</i>			
125-12-2	204-727-6	5 - 10 %	H227; H316; H401
<i>Isobornyl acetate</i>			
97-53-0	202-589-1	2 - 5 %	H303; H316; H317; H319; H401
<i>Eugenol</i>			
105-95-3	203-347-8	2 - 5 %	H401
<i>Ethylene brassylate</i>			
CAS#	EC#	Conc. Range	GHS Classification
Ingredient			
470-82-6	207-431-5	1 - 2 %	H226; H303; H317; H320; H402

Safety Data Sheet

Revised Date: 2021-01-29 00:00

Product: **Crackling Firewood & Fir**

Product#:

Page 3 of 8

Print Date: 2021-06-22 16:19

<i>Eucalyptol</i>			
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411
<i>Hexyl cinnamal</i>			
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
<i>Limonene</i>			
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
<i>Citral</i>			
103-95-7	203-161-7	0.1 - 1.0 %	H227; H303; H315; H317; H401; H412
<i>Cyclamen Aldehyde</i>			
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; <i>pinene</i> H410
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402
<i>Coumarin</i>			
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
<i>Linalool</i>			
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319
<i>Lauraldehyde</i>			
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410
<i>2-Methylundecanal</i>			
103-26-4	203-093-8	0.1 - 1.0 %	H303; H317
<i>Methyl cinnamate</i>			
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
<i>beta Pinene</i>			
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332; <i>delta-3-</i>
<i>Carene</i>	H401; H411		

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.20

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

Safety Data Sheet

Revised Date: 2021-01-29 00:00

Product: **Crackling Firewood & Fir**

Product#:

Page 4 of 8

Print Date: 2021-06-22 16:19

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available
Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam
Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: 5.3 Water may be ineffective

Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Safety Data Sheet

Revised Date: 2021-01-29 00:00

Product: **Crackling Firewood & Fir**

Product#:

Page 5 of 8

Print Date: 2021-06-22 16:19

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component		ACGIH	ACGIH	OSHA	OSHA
		TWA ppm	STEL ppm	TWA ppm	STEL ppm
80-56-8	<i>pinene</i>		20		
127-91-3	<i>beta Pinene</i>		20		
13466-78-9	<i>delta-3-Carene</i>		20		

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity: Liquid Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP): 190 F (87.78 C) Auto flammability:	Not determined Explosive Properties: None
Expected Oxidizing properties:	None Expected Vapor Pressure (mmHg@20 C): 0.0555 % VOC: 4.50
Specific Gravity @ 25 C: Not determined Density @ 25 C:	Not determined Refractive Index @ 20 C:
	Not determined
Soluble in:	Not determined

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known

Safety Data Sheet

Revised Date: 2021-01-29 00:00

Product: **Crackling Firewood & Fir**

Product#:

Page 6 of 8

Print Date: 2021-06-22 16:19

10.5 Incompatible materials Strong oxidizing agents,
strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4766.9134) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 410.1233) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Not classified - the classification criteria are not met

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Not classified - the classification criteria are not met

Reproductive toxicity Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Toxic to aquatic life

Chronic aquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Safety Data Sheet

Revised Date: 2021-01-29 00:00

Product: **Crackling Firewood & Fir**

Product#:

Page 7 of 8

Print Date: 2021-06-22 16:19

14. Transport Information

Marine Pollutant No

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail) Chemicals NOI	Not Regulated - Not Dangerous Goods			
IATA (Air Cargo) Chemicals NOI	Not Regulated - Not Dangerous Goods			
IMDG (Sea) Chemicals NOI	Not Regulated - Not Dangerous Goods			

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)
140-67-0 205-427-8	<= 8 ppm	Estragole (Methyl chavicol) (Natural Source)
89-82-7 201-943-2	<= 5 ppm	Pulegone (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H320 : Causes eye irritation
H332 : Harmful if inhaled	H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting

effects

H411 : Toxic to aquatic life with long lasting effects

Safety Data Sheet

Revised Date: 2021-01-29 00:00

Product: **Crackling Firewood & Fir**

Product#:

Page 8 of 8

Print Date: 2021-06-22 16:19

Total Fractional Values

(TFV) Risk

(12.19) Acute Toxicity Inhalation, Category 5

(7.00) Sensitization, Skin, Category 1A

(2.65) Skin Corrosion/Irritation, Category 3

(2.24) Aquatic Acute Toxicity, Category 2

(1.05) Acute Toxicity Oral, Category 5

(TFV) Risk

(7.00) Sensitization, Skin, Category 1

(5.87) Aquatic Chronic Toxicity, Category 3

(2.40) Sensitization, Skin, Category 1B

(1.47) Skin Corrosion/Irritation, Category 2

Remarks

This safety data sheet is based on the properties of the material known to KCs Burning Aromas, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment KC's Burning Aromas, LLC holds no responsibility. This document is not intended for quality assurance purposes.